SUPERTOUCH®

Customer Information Sheet

SHOULD THE HIGH VISIBILITY PROPERTIES OF THIS GARMENT BECOME SEVERELY IMPAIRED THE ITEM SHOULD BE CHANGED

PRODUCT INFORMATION

PRODUCT NAME: System Hi Vis Polo

PRODUCT CODE: SYH-304C1-9 - Yellow/Navy

SYH-304D1-9 - Orange/Navy

Available Sizes S-6XL

PRODUCT DESCRIPTION:

Hi Vis garment with either yellow or orange background material and navy contrast.

MATERIAL CONTENT: 55% Cotton 45% Polyester - Recycled

MAX 25 WASH CYCLES - Wash inside out. WASH CARE:

The stated maximum number of cleaning cycles is not the only factor related to the lifetime of the garment. The lifetime will also depend on usage, care, storage etc











STANDARDS:

Conforms to EN ISO 20471:2013+A1:2016 and EN ISO 13688:2013+A1:2021. RIS-3279-TOM Issue 2:2019 (Orange only)

Sizes S - M minimum area of fluoresent & reflective material meets class 1 Must be worn with jacket that meets both EN ISO 20471 Class 2 and RIS-3279-TOM Issue 2:2019

Class 1: Minimum level of protection

Class 2: Intermediate level of protection

Class 3: Highest level of protection





RIS-3279-TOM Issue 2:2019

These garments comply with the essential health and safety requirements of PPE Regulation (EU) 2016/425 and the above referenced standards.

LIMITATIONS OF USE:

The garment should be worn fastened at all times to provide the correct level of protection as stated above. DO NOT modify or alter the garment. This garment must be kept clean to remain effective, replace if permanently stained or faded. This garment is a conspicuity aid. Regular comparison against a new garment is recommended.

AFTERCARE:

See instructions on garment label. Liability will not be accepted where the care label has been ignored, neglected, defaced or removed. The stated maximum number of cleaning cycles is not the only factor related to the lifetime of the garment. The lifetime will also depend on usage, care, storage etc.

STORAGE AND TRANSPORTATION:

Always store in clean, dry conditions. DO NOT store in places subject to direct, strong sunlight. If the garment becomes wet allow to dry at room temperature before storing. This garment is suitable for transportation as supplied by the manufacturer.

GARMENT DISPOSAL:

This garment is suitable for disposal via landfill or municipal waste incineration in accordance with European standards, provided they have not been contaminated with hazardous substances. For more information contact your local environmental officer.



CHEST (A) HEIGHT (B) 92-96 100-104 172-180 108-112 180-188 XL 116-122 188-196 124-132 188-196 136-144 196-204 148-152 196-204

Licence No. CMPY-257717

To find Declaration of conformity documentation search for your desired product at - www.supertouch.com

EU NB: SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, Dublin, D15 YN2P, Ireland. NB: 2777

1cm Seam Allowance

M

Orange/Navy

SUPERTOUCH®



CE CATⅡ

High Visibility Warning Clothing Product Code: SYH-304D2 55% Cotton 45% Polyester Recycled






+A1:2016 EN ISO 20471:2013+ A1:2016



www.supertouch.com **B66 2NN-UK**





Scan for User Sheet

The lifetime of the garment is influenced not only by the stated maximum number of cleaning cycles but also by factors such as usage, care, and storage. To maintain its effectiveness, the garment must be kept clean and should be replaced if it becomes permanently stained or faded

> MAX 25 x Wash cycles. Do not iron reflective tape.

> > Wash inside out.

Must be worn with a jacket that meets both EN ISO 20471 Class 2 and RIS-3279-TOM Issue 2











Garment Reference Number

Jcm Seam Allowance

1cm Seam Allowance

M

Yellow/Navy

SUPERTOUCH®



C CAT II


High Visibility Warning Clothing Product Code: SYH-304C2 55% Cotton 45% Polyester Recycled



EN ISO EN ISO 20471:2013+ A1:2016



www.supertouch.com **B66 2NN-UK**





Scan for User Sheet

The lifetime of the garment is influenced not only by the stated maximum number of cleaning cycles but also by factors such as usage, care, and storage. To maintain its effectiveness, the garment must be kept clean and should be replaced if it becomes permanently stained or faded

MAX 25 x Wash cycles. Do not iron reflective tape. Wash inside out. Must be worn with a jacket that meets EN ISO 20471 Class 2











Garment Reference Number

Jcm Seam Allowance